






**ACCORD VITRIFIED PVT. LTD.**

S. No. 151/P3, Nr. Narmada Canal,  
Morbi - Halvad Road,  
At. Unchi Mandal, Morbi - 363 642,  
Gujarat, INDIA

Contact: +91 97264 20209

Email: [info@accordvitrified.com](mailto:info@accordvitrified.com)

Web.: [www.accordceramics.com](http://www.accordceramics.com)

Join us on :   

[www.accordceramics.com](http://www.accordceramics.com)



**BEST  
OF THE  
BEST**

**Tiles Collection**

**600x1200mm**  
**Endmatch Series**



## ABOUT COMPANY

"The best way to predict the future is to create it."

Accord Vitrified Pvt Ltd established in 2007, stands at the forefront of innovation and craftsmanship. Our machinery with cutting-edge technology along with mighty production capacity that is spread over vast land is capable of delivering unmatched quality tiles that set the new benchmark. We have won various awards and received various certificates regarding our process excellence in manufacturing.



Building Area

**155K** sq. mtrs

Office Area

**8K** sq. mtrs

Land Area

**200K** sq. mtrs

Production Capacity

**21M** sq. mtrs per day

## INFRASTRUCTURE

Be it a country as a whole or your home, it is the infrastructure that decides how successful it is going to be. This signifies its vitality and need for large investment for that. Infrastructure development is not possible without a large-scale production capacity of quality tiles at hand. We therefore focus on developing the tile industry and contributing to society

We created our ceramic tile industry which has a formidable infrastructure spread over a vast area of 92000sq mt, seamlessly blending creativity and precision to bring unparalleled quality and design with sheer pace due to our 4 million square mt per day production capacity.

# INTRODUCTION

"Discover EndMatch Finish Tiles – a fusion of precision and style. Impeccable alignment, versatility for any design, durability, and timeless elegance redefine your spaces. Glorify your space with sophistication and innovation."



# INSPIRATION DESIRE & QUALITY

Drawing influence from quarries, we meticulously designed tiles with intricate patterns of top-notch quality to provide a pleasing experience to every client and take inspiration from nature in its design.



# DRIVING FORCE

We have always believed in delivering the finest attributes of tiles and making sure that we resemble nature in its making. This belief becomes our driving force in crafting tiles that have the essence of nature and marble quarries signify its elements.

Characterized by intricate veins, unique patterns, and a spectrum of hues, marble quarries have been a source of inspiration for artists and architects for centuries. We have taken the leaf out of marble quarries in the making of our tiles in the design patterns and it acts as a driving force for us to create a fabulous finish surface that gives everyone the feel of marble in the tile itself. It's not just about tiles; it's about bringing the essence of marble quarries into your surroundings, creating a harmonious blend of nature's beauty and human craftsmanship

The patterns embedded in our tiles tell a story of the earth's wonders, translating the grandeur of marble quarries into a tangible, stunning finish. With every tile, we strive to replicate the unique elements of marble, providing spaces with a touch of opulence and the unmistakable feel of natural marvels



# SIZE/ FORMAT

Size  
60x120cm

Finish  
Glossy

Thickness  
9mm



## ENDMATCH SERIES

Introducing our innovative Endmatch Series Tiles, a testament to precision and seamless design. Engineered for a perfect fit, these tiles feature a unique end-match system, ensuring a flawless connection between each tile for a cohesive and polished appearance.

With this advanced end-match technology, installation becomes a breeze, reducing gaps and enhancing the overall aesthetics of your space. The meticulously crafted tiles create a continuous pattern, eliminating the need for visible grout lines and providing a sleek, modern look.

Experience the epitome of precision and sophistication with our Endmatch Series Tiles. Elevate your interiors with a seamless design that not only simplifies installation but also adds a touch of contemporary elegance to every room. Welcome a new era of flooring with tiles that redefine perfection.

# FEATURES



Easy to  
Clean



Impact  
Resistance



Easy  
Installation



Fire  
Resistance



Chemical  
Resistance



Frost  
Resistance

Our tiles not only brighten up the eyes through their radiance and give an aesthetically pleasing experience but also stand the test of time as it is fireproof, impact-resistant, chemical-resistant, and easy to clean making them an ideal and smart choice for any environment. Apart from that it is also frost-resistant which signifies its sheer strength and durability. In addition to this, it is also very easy to install and the process doesn't take much effort or time which makes it perfect for your every need.





# RICHNESS THAT YOU CAN FEEL

## The Applications Area which applicable in Wall and Floor



Choose EndMatch Finish Tiles for flooring that seamlessly merges precision with style and gives feel of royalty as walk on it. Upgrade your space with unmatched versatility, enduring durability, and timeless elegance.

[www.accordceramics.com](http://www.accordceramics.com)

A classy EndmMatch finish tiles is going to be perfect choice for a wall to captivate everyone's glare and envy everyone.

## VERSATILE SPACE APPLICATION

Our tiles are pretty much applicable everywhere. Our tile is known for its versatile character due to its sturdiness and durability along with lustrous looks. It is going to be the legit choice for every home across the place as it has aesthetic appeal and sheer strength.

Our tiles are also 1st choice in outdoor places or places of high traffic and have more chances of strain. Airports, Industry, Railway platforms, etc have a high rush of people and our tile is go- to choice for them. Your hotel and restaurant to attract people so our durable and dazzling tiles are your ideal choice. Also, gym, hospitals, halls, etc needs our tiles.








60X120 CM | 24"X48" | 2'X4' GLOSSY FINISH  
—  
>1 9 mm GLAZED VITRIFIED TILES

ANTIQUE LITE



FACE 4




60X120 CM | 24"X48" | 2'X4' GLOSSY FINISH  
—  
>1 9 mm GLAZED VITRIFIED TILES

ANTIQUE



FACE 4








60X120 CM | 24"X48" | 2'X4' GLOSSY FINISH  
≥ 9 mm GLAZED VITRIFIED TILES

**VOLAKAS WHITE**



**FACE 4**



60X120 CM | 24"X48" | 2'X4' GLOSSY FINISH  
≥ 9 mm GLAZED VITRIFIED TILES

**ARCTIC BEIGE**



**FACE 4**







60X120 CM | 24"X48" | 2'X4'      GLOSSY FINISH

---

>1 9 mm      GLAZED VITRIFIED TILES

TIERRA SMOKE



FACE 3



60X120 CM | 24"X48" | 2'X4'      GLOSSY FINISH

---

>1 9 mm      GLAZED VITRIFIED TILES

TIERRA HAZEL



FACE 3








60X120 CM | 24"X48" | 2'X4'      GLOSSY FINISH  
—┐ 9 mm      GLAZED VITRIFIED TILES

**BRECCIA BEIGE**



**FACE 4**



60X120 CM | 24"X48" | 2'X4'      GLOSSY FINISH  
—┐ 9 mm      GLAZED VITRIFIED TILES

**DIMPSY BIANCO**



**FACE 4**







60X120 CM | 24"X48" | 2'X4'    GLOSSY FINISH  
—┐ 9 mm                      GLAZED VITRIFIED TILES

**EVOCUS WHITE**



**FACE 4**



60X120 CM | 24"X48" | 2'X4'    GLOSSY FINISH  
—┐ 9 mm                      GLAZED VITRIFIED TILES

**EVOCUS BEIGE**



**FACE 4**








60X120 CM | 24"X48" | 2'X4' GLOSSY FINISH  
≥ 9 mm GLAZED VITRIFIED TILES

**ALFREDO GREY**



**FACE 3**




60X120 CM | 24"X48" | 2'X4' GLOSSY FINISH  
≥ 9 mm GLAZED VITRIFIED TILES

**CARNICO BIANCO**



**FACE 4**








60X120 CM | 24"X48" | 2'X4' GLOSSY FINISH  
—  
>1 9 mm GLAZED VITRIFIED TILES

MODECO STONE



FACE 4




60X120 CM | 24"X48" | 2'X4' GLOSSY FINISH  
—  
>1 9 mm GLAZED VITRIFIED TILES

FUSION MARFIL



FACE 4







60X120 CM | 24"X48" | 2'X4'      GLOSSY FINISH

---

>1 9 mm      GLAZED VITRIFIED TILES

**FIORITO BEIGE**



**FACE 4**



60X120 CM | 24"X48" | 2'X4'      GLOSSY FINISH


---

>1 9 mm      GLAZED VITRIFIED TILES

**SUPREME WHITE**



**FACE 4**







60X120 CM | 24"X48" | 2'X4' GLOSSY FINISH  
» 9 mm GLAZED VITRIFIED TILES

**MAFFIN ROSSO**



**FACE 3**



60X120 CM | 24"X48" | 2'X4' GLOSSY FINISH  
» 9 mm GLAZED VITRIFIED TILES

**OLIVA LATTE**




**FACE 3**






ACCORD WHITE



FACE 4



FULLY DIGITAL  
TECHNOLOGY

①


ACCORD WHITE



BRECCIA MARINO ASH




FACE 4



BRECCIA MARINO BROWN



FACE 4






BRECCIA MARINO NATURAL



FACE 4



LUMOS BIANCA



FACE 4





LUMOS CREMA



**universal**  
COLLECTION

FACE 4



LUMOS AVORIO



**universal**  
COLLECTION

FACE 4





BURBBERY BEIGE



FACE 4



BURBBERY BIANCO



FACE 4





BURBBERY TAUPE



FACE 4



TRAVENTINO BEIGE



FACE 3







**FIORITO GREY**



**FACE 4**



**FACE 3**



**FIORITO BEIGE**





CLASSIC DYNA CREMA



FACE 4



CLASSIC DYNA



FACE 4







MONACO PEANUT



**universal**  
COLLECTION

FACE 4



CALACATTA INIFINITY



FACE 4









CRYSTAL ONYX BEIGE




FACE 4



FACE 4




CRYSTAL ONYX GREY





**EXTRA WHITE**



FACE 4



FULLY DIGITAL  
TECHNOLOGY

①

**EXTRA WHITE**






**FARTOLI WHITE**



**FACE 4**



**HELIX WHITE**



**FACE 4**





**HIMALAYA WHITE**



**FACE 4**



**FULLY DIGITAL  
TECHNOLOGY**

①

①

**HIMALAYA WHITE**



LUCIO ARMANI



FACE 4

MARINA PEARL

FACE 4






**MAXICAN ONYX**



**FACE 4**



**FULLY DIGITAL  
TECHNOLOGY**

①

**MAXICAN ONYX**





**MAXICAN ONYX CREMA**



**FACE 4**



**MAXICAN ONYX WHITE**



**FACE 4**





**SIBERIAN MARBLE**



FACE 4



FULLY DIGITAL  
TECHNOLOGY





ONYX VANILA



FACE 4



PARADISO GRIS



FACE 4





**PERLIN BROWN**



**FACE 4**



**FULLY DIGITAL  
TECHNOLOGY**

①


**PERLIN BROWN**



PERLIN GOLD



FACE 4



PERLIN GREY



FACE 4






**PERLIN NATURAL**



**FACE 4**



**FULLY DIGITAL  
TECHNOLOGY**

①

**PERLIN NATURAL**





**PORCH WHITE**




**FACE 4**



**SUPREM WHITE**



**FACE 4**





CORCHIA WHITE



FACE 4



SERENE WHITE



FACE 4







TRIVERA CREMA



FACE 4



TRIVERA GREY



FACE 4





HORDIX NATURAL



FACE 4



HORDIX LIGHT



FACE 4





**HORDIX CREMA**



**FACE 4**



**HORDIX LIGHT GREY**



**FACE 4**





ARCTIC BEIGE



FACE 4



BRECCIA GOLD



FACE 4





IRIS GREY



FACE 3



FACE 4



NOVELLA CREMA







ONYX MERIDA



FACE 3



ONTARIO BEIGE



FACE 3






SALVATORE GREY



FACE 3



FACE 4



SHERATON GOLD







**BUFFON GREY**



**FACE 4**



**FACE 3**



**BUFFON IVORY**








**BUFFON BROWN**




**FACE 4**



**BUFFON SLATE**



**FACE 4**









**ABSTRACT WHITE**



**FACE 2**



**FACE 4**



**CARBONITE GRIS**





DENTON CREMA



FACE 3



FACE 4



SAHARA BEIGE






MODECO STONE



FACE 4



CARNICO BIANCO




FACE 4








LUCIDO BLUE




FACE 1



ALMAZE SLATE



FACE 1





THE  
ENDMATCH  
CARVING  
COLLECTION





**HORDIX NATURAL**



FACE 4



FULLY DIGITAL  
TECHNOLOGY

①

**HORDIX NATURAL**



HORDIX CREMA



FACE 4



HORDIX LIGHT GREY



FACE 4





**BLANCO STATUARIO**



FACE 3



FULLY DIGITAL  
TECHNOLOGY

①

**BLANCO STATUARIO**





**EVOCUS BEIGE**



**FACE 4**



**EVOCUS BLUE**



**FACE 4**





EVOCUS WHITE



FACE 4



ORION CREMA



FACE 4





LUMINO IVORY



FACE 4



LUMINO SILVER



FACE 4





**SIBERIAN MARBLE**



FACE 4



FULLY DIGITAL  
TECHNOLOGY

①

**SIBERIAN MARBLE**





SCENIC GOLD



FACE 4



FACE 4



SCENIC WHITE





TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP B1a	MEAN VALUE OF ACCORD PGVT	MEAN VALUE OF ACCORD GVT	Method of Testing
REGULATORY PROPERTIES				
Deviation in length & width	± 0.5 %	± 0.1 %	± 0.1 %	ISO-10545-2
Deviation in thickness	± 5.0 %	± 4.0 %	± 4.0 %	ISO-10545-2
Straightness in side	± 0.5 %	± 0.1 %	± 0.1 %	ISO-10545-2
Rectangularity	± 0.6 %	± 0.1 %	± 0.1 %	ISO-10545-2
Surface flatness	± 0.5 %	± 0.2 %	± 0.2 %	ISO-10545-2
Color difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg.	Min. 90%	Min. 4%	GLOSSOMETER
STRUCTURAL PROPERTIES				
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES				
Modulus of rupture	Min. 35 N/mm 2	Min. 40 N/mm 2	Min. 40 N/mm 2	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	As per mfg	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	Min. 5	EN 101
THERMO HYGROMETRIC PROPERTIES				
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10-6	Max. 6.5 x 10-6	Max. 6.5 x 10-6	ISO-10545-8
CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES				
Slip resistance	As per mfg	> 0.40	> 0.40	ISO-10545-17
Fire resistance	As per mfg	Fireproof	Fireproof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg	Does not yield Pb. & Cd.	Does not yield Pb. & Cd.	ISO-10545-15

PACKING DETAILS

Size	Normal Thickness	No. of Tiles/Box	Coverage Area/Box		Wt. of Box (approx)
60x120cm	9.00 mm	2 pcs	1.44 sq. mtr.	15.50 sq. ft.	28.00 kg