


ACCORD

GLAMOUR DE MARBELLA

1200X
1800mm | 15mm
THICKNESS




SMART
SOLID
SURFACE



COLOUR BODY

Color body tiles, renowned for their rich hues and consistent color throughout, offer a seamless and sophisticated finish for any room. Whether you're remodeling a bathroom, upgrading your kitchen, or creating a stunning feature wall, color body tiles provide a versatile and stylish solution.



LUXURY THAT SPANS EVERY SQUARE MM.

Discover the epitome of elegance with our Smart Solid Surface, designed to redefine luxury in every dimension. Measuring 1200mm by 1800mm, this innovative material combines unparalleled durability with a refined aesthetic. Whether for residential or commercial spaces, our surfaces deliver a sophisticated touch that stands the test of time.


ARLO
SMART SOLID SURFACE

www.accordceramics.com




Inspiration by nature


Our Smart Solid Surface embodies the beauty and resilience found in nature. Measuring 1200mm x 1800mm, this material is crafted to bring the raw elegance of natural stone into your space. Each piece reflects the timeless quality and sophisticated aesthetics inspired by the natural world, making it a perfect choice for both contemporary and classic designs.




STUDY ROOM




BATHROOM




LIVING ROOM



KITCHEN TOP



BEDROOM



WALL SURFACE






TABLE TOP
BASIN




OFFICE TABLE




FURNITURE



DOOR FRAME



STEP & RISER



COUNTER TOP

APPLICATION AREA

Tiles and slabs have a wide range of applications in various settings due to their durability, aesthetics, and ease of maintenance. Here are some key areas where tiles and slabs are commonly used.

1200x
1800mm

Thickness
15mm


Glossy
Collection





Avenue Ivory

TYPOLGY **Colorbody** | THICKNESS **15mm** | SIZE **1200x1800mm** | FINISH **Glossy**




Avenue Ivory

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
Finish : **Glossy**
Typology : **Colorbody**
Random : **4**



Click for
360° view



Monaco Crema

TYPOLOGY **Colorbody** |
 THICKNESS **15mm** |
 SIZE **1200x1800mm** |
 FINISH **Glossy**





Monaco Crema

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
 Finish : **Glossy**
 Typology : **Colorbody**
 Random : **3**



Click for
360° view



Palissandro Classico gold

TPOLOGY **Colorbody** | THICKNESS **15mm** | SIZE **1200x1800mm** | FINISH **Glossy**



Palissandro Classico gold

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
Finish : **Glossy**
Typology : **Colorbody**
Random : **2**



Click for
360° view



Travertine Crema

TPOLOGY **Colorbody** | THICKNESS **15mm** | SIZE **1200x1800mm** | FINISH **Glossy**



Travertine Crema

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
Finish : **Glossy**
Typology : **Colorbody**
Random : **2**



Click for
360° view



Hordix Light

TPOLOGY **Colorbody** | THICKNESS **15mm** | SIZE **1200x1800mm** | FINISH **Glossy**



Hordix Light

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
Finish : **Glossy**
Typology : **Colorbody**
Random : **3**



Click for
360° view



Travertino

TYOLOGY	THICKNESS	SIZE	FINISH
Colorbody	15mm	1200x1800mm	Glossy



Travertino

Minimum
3mm
Spacer
Recommended



15mm

Size : **1200x1800mm**
Finish : **Glossy**
Typology : **Colorbody**
Random : **2**



Click for
360° view



Breccia Aurora

TYPOLGY
Colorbody | THICKNESS
15mm | SIZE
1200x1800mm | FINISH
Glossy



Breccia Aurora

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
Finish : **Glossy**
Typology : **Colorbody**
Random : **3**



Click for
360° view



Breccia Beige

TPOLOGY **Colorbody** | THICKNESS **15mm** | SIZE **1200x1800mm** | FINISH **Glossy**



Breccia Beige

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
Finish : **Glossy**
Typology : **Colorbody**
Random : **3**



Click for
360° view



Breccia Lava

TPOLOGY **Colorbody** | THICKNESS **15mm** | SIZE **1200x1800mm** | FINISH **Glossy**



Breccia Lava

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
Finish : **Glossy**
Typology : **Colorbody**
Random : **3**



Click for
360° view



Cloudy Beige

TYPOLGY **Colorbody** | THICKNESS **15mm** | SIZE **1200x1800mm** | FINISH **Glossy**



Cloudy Beige

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
Finish : **Glossy**
Typology : **Colorbody**
Random : **3**



Click for
360° view



Dyna Supreme

TYPOLGY Colorbody	THICKNESS 15mm	SIZE 1200x1800mm	FINISH Glossy
-----------------------------	--------------------------	----------------------------	-------------------------



Dyna Supreme

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
Finish : **Glossy**
Typology : **Colorbody**
Random : **2**




Click for
360° view



Dyna Turkish

TYPOLOGY **Colorbody** |
 THICKNESS **15mm** |
 SIZE **1200x1800mm** |
 FINISH **Glossy**




Dyna Turkish

Minimum
3mm
Spacer
Recommended



15mm 



Size : **1200x1800mm**
 Finish : **Glossy**
 Typology : **Colorbody**
 Random : **3**




Click for
360° view



Flore Marfil

TYPOLOGY **Colorbody** |
 THICKNESS **15mm** |
 SIZE **1200x1800mm** |
 FINISH **Glossy**



Flore Marfil

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
 Finish : **Glossy**
 Typology : **Colorbody**
 Random : **3**




Click for
360° view




Crema Marfil

TPOLOGY **Colorbody** | THICKNESS **15mm** | SIZE **1200x1800mm** | FINISH **Glossy**



Crema Marfil

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
Finish : **Glossy**
Typology : **Colorbody**
Random : **4**



Click for
360° view



Fume Emperador Latte

TYPOLOGY **Colorbody** |
 THICKNESS **15mm** |
 SIZE **1200x1800mm** |
 FINISH **Glossy**



Fume Emperador Latte

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
 Finish : **Glossy**
 Typology : **Colorbody**
 Random : **3**



Click for
360° view



Valentino

TYPOLGY
Colorbody | THICKNESS
15mm | SIZE
1200x1800mm | FINISH
Glossy



Valentino

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
Finish : **Glossy**
Typology : **Colorbody**
Random : **4**




Click for
360° view



Victoria Beige

TPOLOGY Colorbody	THICKNESS 15mm	SIZE 1200x1800mm	FINISH Glossy
-----------------------------	--------------------------	----------------------------	-------------------------



Victoria Beige

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
Finish : **Glossy**
Typology : **Colorbody**
Random : **3**



Click for
360° view



Patagonia

TYPOLGY Colorbody	THICKNESS 15mm	SIZE 1200x1800mm	FINISH Glossy
-----------------------------	--------------------------	----------------------------	-------------------------





Patagonia

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
Finish : **Glossy**
Typology : **Colorbody**
Random : **3**




Click for
360° view



Accord White

TYPOLOGY **Colorbody** |
 THICKNESS **15mm** |
 SIZE **1200x1800mm** |
 FINISH **Glossy**



Accord White

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
 Finish : **Glossy**
 Typology : **Colorbody**
 Random : **3**




Click for
360° view



5001

TPOLOGY
Colorbody | THICKNESS
15mm | SIZE
1200x1800mm | FINISH
Glossy



5001

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
Finish : **Glossy**
Typology : **Colorbody**
Random : **3**



Click for
360° view




Atlantic White

TYPOLGY **Colorbody** | THICKNESS **15mm** | SIZE **1200x1800mm** | FINISH **Glossy**



Atlantic White

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
Finish : **Glossy**
Typology : **Colorbody**
Random : **4**




Click for
360° view



Brillo Gold

TPOLOGY Colorbody	THICKNESS 15mm	SIZE 1200x1800mm	FINISH Glossy
-----------------------------	--------------------------	----------------------------	-------------------------



Brillo Gold

Minimum
3mm
Spacer
Recomended



Size : **1200x1800mm**
Finish : **Glossy**
Typology : **Colorbody**
Random : **3**



Click for
360° view

1200x
1800mm

Thickness
15mm

Matt
Collection





Monaco Crema

TPOLOGY **Colorbody** | THICKNESS **15mm** | SIZE **1200x1800mm** | FINISH **Matt**



Monaco Crema

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
Finish : **Matt**
Typology : **Colorbody**
Random : **3**



Click for
360° view



Travertino

TPOLOGY	THICKNESS	SIZE	FINISH
Colorbody	15mm	1200x1800mm	Matt



Travertino

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
Finish : **Matt**
Typology : **Colorbody**
Random : **2**




Click for
360° view



Orion Crema

TYPOLOGY **Colorbody** |
 THICKNESS **15mm** |
 SIZE **1200x1800mm** |
 FINISH **Matt+Carving**



Orion Crema

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
 Finish : **Matt+Carving**
 Typology : **Colorbody**
 Random : **4**



Click for
360° view



Patagonia

TYPOLOGY **Colorbody** |
 THICKNESS **15mm** |
 SIZE **1200x1800mm** |
 FINISH **Matt+Carving**





Patagonia

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
 Finish : **Matt+Carving**
 Typology : **Colorbody**
 Random : **3**



Click for
360° view



Verona Beige

TYPOLOGY Colorbody	THICKNESS 15mm	SIZE 1200x1800mm	FINISH Matt+Carving
------------------------------	--------------------------	----------------------------	-------------------------------



Verona Beige

Minimum
3mm
Spacer
Recommended



15mm



Size : **1200x1800mm**
Finish : **Matt+Carving**
Typology : **Colorbody**
Random : **3**



Click for
360° view

TECHNICAL SPECIFICATION OF ACCORD SLAB VITRIFIED TILE

TEST DISCRIPTION			
CHARACTERISTIC	TEST METHOD	STANDARD AS PER ISO-13006/EN14411 GROUP	ACCORD VALUE
Deviation in Length	IS-13630-1	±0.50%	±0.10%
Deviation in Width	IS-13630-1	±0.50%	±0.10%
Deviation in Thickness	IS-13630-1	±5.00%	±5.00%
Straightness of Sides	IS-13630-1	±0.50%	±0.10%
Rectangularity	IS-13630-1	±0.60%	±0.15%
Surface Flatness	IS-13630-1	±0.50%	±0.20%
Surface Quality	IS-13630-1	Min. 95%	Min. 95%
PHYSICAL PROPERTIES			
Water Absorption	IS-13630-2	≤0.50%	≤0.50%
Modulus of Rapture(N/mm2)	IS-13630-6	Min. 35N/mm ²	Min. 37N/mm ²
Breaking Strength(N)	IS-13630-6	< 7.5mm-700N ≥ 7.5mm-1300N	≤ 7.5mm-1000N ≥ 7.5mm-1400N
Moisture Expansion(mm/m)	IS-13630-3	0.06 Max	0.01 Max
Scratch Hardness of Surface	IS-13630-13	Min. 4	Min. 4
Resistance of Surface Abrasion(Glazed Tiles)	IS-13630-11	As per Mfg.	Class II Min.
Co-Efficient of Linear Thermal Expansion	IS-13630-4	As per Mfg.	6.5x10 ⁻⁶ Max.
Thermal Shock Resistance	IS-13630-5	10 Cycles Min.	10 Cycles Min.
Crazing Resistance	IS-13630-9	As per Mfg.	5 Cycles at 7.5Bar Pressure
Impact Resistance-Coefficient of Restitution	IS-13630-14	As per Mfg.	0.55 Min
Frost Resistance	IS-13630-10	As per Mfg.	No Damage
Bulk Density (g/cc)	IS-13630-2	>2.0 gm/cc	>2.0 gm/cc
CHEMICAL PROPERTIES			
Resistance of Staining	IS-13630-8	Class I Min.	Class II
Resistance of Household Chemicals	IS-13630-8	Class AA Min.	Class AA
Resistance to Acids & Alkalis	IS-13630-8	As per Mfg.	Min. Class A
Slip Resistance	150-13006/EN1444 Group B/A	As per Mfg.	As per Mfg.

PACKING DETAIL

No.	Size	Thickness (approx.)	Pieces/Box	Area/Box	Wt./Box (approx.)
01	1200X1800mm	15mm	1	2.16 sq. mtr.	75 kg



Accord vitrified pvt. ltd
S. no. 151/P3, Near. Narmada canal,
Morbi - Halvad Road,
At Unchi Mandal, Morbi - 363 642
Gujarat, INDIA

Contact : +91 97264 20209
Email: Info@accordvitrified.com
Web : www.accordceramics.com